


Restoration *Plank*

HARDWOOD

Our Restoration Plank is a selection of beautiful and distinctive boards like those found in the most stunning mountain homes - each plank is up to 75" in length (the average length is about 64") of stunning white oak hardwood with precision-filled knots & cracks to give your floorscape a rustic elegance. Each 7.5" extra-wide plank is hand-selected to create a rustic, elegant, and timeworn appearance. Restoration Plank infuses modern spaces with historic charm, with the added durability and technology behind modern hardwood products. The surface is enhanced by a subtly hand-scraped wire-brushed texture, and an authentically hand-chiseled bevel. Our German Klumpp low-gloss finish accentuates the wood's classic appeal. This gorgeous collection has a unique grain structure and a hand-rubbed stain, reminiscent of a genuine foot-worn plank floor hewn centuries ago. Restoration Plank features a highly-stable birch core, and is protected by a 35-year residential warranty. We do our best to represent our hardwood products accurately with our images, but as with any natural product our hardwood floors feature variations in colour and grain.






SKU: RP02

31.10 sq. ft./ctn













MOUNTAIN HICKORY

SKU: RP12H

31.10 sq. ft./ctn







TECHNICAL DATA SHEET HARDWOOD - RESTORATION PLANK

BECKHAM BROTHERS

SPECIFICATION

Plank Size	7.5" x 5/8" Thickness, 20"-75"
Sq ft/carton; box length; Boxes/skid	31.10 sq. ft.; up to 75"; 48 boxes/skid
Core	Eucalyptus & Birch or Poplar
Veneer	3mm Sawn Oak or Hickory
Finish/Gloss Level	Wire Brushed, Sawn Oak, German Klumpp Extreme Matte UV Top Coat
Texture/Bevels	Wire Brushed Texture with a Micro Bevel
Glue	Highest quality, formaldehyde-free adhesive used to glue all components; CARB2 Compliant
Installation	Tongue & Groove, Nail, Glue
Warranty	35 Year Residential Warranty / 3 Year Limited Light Commercial
Approved for use with Radiant Heat	Yes, Oak only – not <i>Hickory</i> ; Radiant Heat only, not approved for use with electric coil